



GEOFLOW PRICE LIST

Wastewater Products

2013





Letters at the top of each page denote the product category and pricing structure.



GEOFLOW PRICE LIST

Wastewater Products

2013

CONTENTS

A	Pg
WASTEFLOW Dripline.....	3
B	
Headworks.....	4
- Discs.....	5
- Screens.....	5
Controllers.....	6
Flow Meters.....	7
C	
Accessories	
Filters.....	8
Air Vents.....	9
Valves.....	9
Check Valves.....	10
Pressure Regulators.....	10
Pressure Gauges.....	11
Drip Fittings.....	11
Unions.....	11
Terms and Conditions.....	12
Warranty.....	12

WASTEFLOW DRIPLINE



A	Part	Description	Min	Coil	Suggested List Price	
	Number				Qty.	Weight

WASTEFLOW® Dripline

Wasteflow dripline is protected with Geoshield, an antimicrobial built into each emitter and coated on the inside of the tubing to protect the dripline from slime growth. nano-ROOTGUARD® is factory molded into each emitter to keep roots out. Identified with a pink stripe and turquoise lining for Geoflow quality.

WASTEFLOW CLASSIC

Inline dripline with no moving parts. Good for uniform slopes or flat terrain

WFCL-16-4-24	24" spacing, 1gph flow rate, 16mm	500 ft	20.0 lbs.	0.550	275.00
WFCL-16-4-18	18" spacing, 1gph flow rate, 16mm	500 ft	21.0 lbs.	0.710	355.00
WFCL-16-4-12	12" spacing, 1gph flow rate, 16mm	500 ft	22.0 lbs.	0.866	433.00

WASTEFLOW PC 1/2 gph

Pressure compensating dripline. Emits a nominal flow rate of 1/2 gph with pressures from 10 - 50 psi

WFPC-16-2-24	24" spacing, 1/2 gph flow rate, 16mm	500 ft	20.0 lbs.	0.588	294.00
WFPC-16-2-18	18" spacing, 1/2 gph flow rate, 16mm	500 ft	21.0 lbs.	0.754	377.00
WFPC-16-2-12	12" spacing, 1/2 gph flow rate, 16mm	500 ft	21.0 lbs.	0.920	460.00


WASTEFLOW PC 1 gph

Pressure compensating dripline. Emits a nominal flow rate of 1 gph with pressures from 10 - 50 psi

WFPC-16-4-24	24" spacing, 1gph flow rate, 16mm	500 ft	20.0 lbs.	0.588	294.00
WFPC-16-4-18	18" spacing, 1gph flow rate, 16mm	500 ft	21.0 lbs.	0.754	377.00
WFPC-16-4-12	12" spacing, 1gph flow rate, 16mm	500 ft	21.0 lbs.	0.920	460.00

WASTEFLOW® Blank Tubing

WFPLAIN	Wasteflow blank tubing 16mm / 0.5"	100 ft.	4.0 lbs.	0.390	39.00
---------	------------------------------------	---------	----------	-------	-------



WASTEFLOW® is a registered trademark of A.I. Innovations
 nano-ROOTGUARD® is a registered trademark of A.I. Innovations
 Geoshield is a registered trademark of A.I. Innovations.

FILTERS & HEADWORKS ASSEMBLIES

B	Part Number	Description	Weight (lbs.)	Suggested List Price
---	-------------	-------------	---------------	----------------------

BioDisc Filter Headworks

New

Pre-assembled Headwork - For Riser



Riser not included

WHWRS-D-150M	Supply headworks for 1.5" BioDisc filter, plumbed for easy disconnect from riser - Max 30gpm	7.0	400.00
WHWRR-DS-100	1" Solenoid Flush valve Return for in-riser BioDisc headworks above plumbed for easy disconnect from tank.	4.0	150.00
WHWRR-DA-100	1" Actuated Flush Valve Return for in-riser BioDisc headworks above plumbed for easy disconnect from tank.	7.0	750.00

Pre-assembled Headworks - SPORTY - Disc Filters



Complete Sporty - BioDisc Headworks with guts and box

WHWS-D-1.5F-A	Sporty guts & box - 1.5" BioDisc Filter. 1" Automatic field flush	39	1000.00
WHWS-D-1.5F-M	Sporty guts & box - 1.5" BioDisc Filter. 1" Manual field flush	39	900.00

or

Guts Only - Sporty BioDisc



WHWS-GUT-D-1.5F-A	Sporty guts - 1.5" BioDisc Filter. 1" Automatic field flush	8	750.00
WHWS-GUT-D-1.5F-M	Sporty guts - 1.5" BioDisc Filter. 1" Manual field flush	8	650.00

Box Only - Sporty BioDisc



WHWS-BOX-L	Sporty box for 1.5" BioDisc filter - drilled, 17"W x 30"L x 15"D	27	250.00
WHWS-RISER-L	Sporty Riser 6" option for WHWS-BOX-L, 17" x 30"	19	158.00

Pre-assembled Headworks - ULTRA - Disc Filters



Large fiberglass box and flow meter included

WHWU-D-1.5F-M-DDS	Ultra. 1.5" BioDisc Filters, max 30 gpm, 1" digital flow meter. Manual	45	2,662.00
WHWU-D-1.5F-A-DDS	Ultra. 1.5" BioDisc Filters, max 30 gpm, 1" digital flow meter. Semi-Auto	45	2,762.00
WHWU-D-1.5F-A-PLS	Ultra. 1.5" BioDisc Filters, max 30 gpm, 1" pulse flow meter. Semi-Auto	45	3,250.00
FM-GX500	For 4-20ma signal, add this part to the pulse meters above		660.00



Individual BioDisc Filters Sold Separately - See page 10

FILTERS & HEADWORKS ASSEMBLIES

B	Part Number	Description	Weight (lbs.)	Suggested
---	-------------	-------------	---------------	-----------

Screen Filter Headworks

Pre-assembled Headworks - SPORTY - Vortex Filters

Complete Sporty - Vortex Headworks



WHWS-V-1F-A	Guts & box - 1" Vortex Filter, Up to 20gpm, Automatic flush	36	880.00
WHWS-V-1F-M	Guts & box - 1" Vortex Filter, Up to 20gpm, Manual flush	36	780.00
WHWS-V-1.5F-A	Guts & box - 1.5" Vortex Filter, Up to 45gpm, Automatic flush	47	1,350.00
WHWS-V-1.5F-M	Guts & box - 1.5" Vortex Filter, Up to 45gpm, Manual flush	43	1,150.00
WHWS-V-2F-A	Guts & box - 2" Vortex Filter, Up to 70 gpm, Automatic flush	47	1,450.00
WHWS-V-2F-M	Guts & box - 2" Vortex Filter, Up to 70gpm, Manual flush	43	1,200.00

or

Guts Only - Sporty Vortex



WHWS-GUT-V-1F-A	Sporty guts- 1" Vortex Filter. Up to 20gpm, Automatic flush	8	700.00
WHWS-GUT-V-1F-M	Sporty guts - 1" Vortex Filter. Up to 20gpm, Manual flush	7	600.00
WHWS-GUT-V-1.5F-A	Sporty guts - 1.5" Vortex Filter. Up to 45gpm, Automatic flush	16	1,100.00
WHWS-GUT-V-1.5F-M	Sporty guts - 1.5" Vortex Filter. Up to 45gpm, Manual flush	12	900.00
WHWS-GUT-V-2F-A	Sporty guts - 2" Vortex Filter. Up to 70gpm, Automatic flush	16	1,200.00
WHWS-GUT-V-2F-M	Sporty guts - 2" Vortex Filter. Up to 70gpm, Manual flush	12	950.00

Box Only - Sporty Vortex




WHWS-BOX-S	Sporty Box for 1" Vortex filter - drilled, 13"W x 24"L x 15"D	27	180.00
WHWS-RISER-S	Sporty Riser 6" option for WHWS-BOX-S	19	110.00
WHWS-BOX-L	Sporty Box for 1.5" & 2" Vortex filter - drilled, 17"W x 30"L x 15"D	35	250.00

Pre-assembled Headworks - ULTRA - Vortex Filters

Digital Display flow meter

Large fiberglass box and flow meter included



WHWU-V-1F-A-DDS	Ultra headworks - 1" Vortex Filter max 20gpm, 1" Digital flow meter	42	2,228.00
WHWU-V-1.5F-A-DDS	Ultra headworks - 1.5" Vortex Filter max 45gpm, 1.5" Digital flow meter	45	2,762.00
WHWU-V-2F-A-DDS	Ultra headworks - 2" Vortex Filter max 70gpm, 1.5" Digital flow meter	45	2,920.00

Pulse flow meter

Large fiberglass box and flow meter included

WHWU-V-1F-A-PLS	Ultra headworks - 1" Vortex Filter max 20gpm, 1" pulse flow meter	42	2,228.00
WHWU-V-1.5F-A-PLS	Ultra headworks - 1.5" Vortex Filter max 45gpm, 1.5" pulse flow meter	45	2,762.00
WHWU-V-2F-A-PLS	Ultra headworks - 2" Vortex Filter max 70gpm, 1.5" pulse flow meter	45	2,920.00
FM-GX500	For 4-20ma signal, add this part to the appropriate pulse meters above		660.00



Individual Vortex Filters Sold Separately - See page 10

CONTROLLERS

B	Part Number	Description	Weight (lbs.)	Suggested List Price
---	-------------	-------------	---------------	----------------------

Standard Logo controllers for forward flush filters

GEO1-SIM-MAN	1 zone,115/230VAC, Simplex pump, 1 phase, 3/4 hp max, Manual flush	10	875.00
GEO1-SIM-AUT	1 zone,115/230VAC, Simplex pump, 1 phase, 3/4 hp max, Automatic flush	16	1,043.00
GEO1-DUP-MAN	1 zone,115/230VAC, Duplex pump, 1 phase, 3/4 hp max, Manual flush	18	1,160.00
GEO1-DUP-AUT	1 zone,115/230VAC, Duplex pump, 1 phase, 3/4 hp max, Automatic flush	18	1,485.00
GEO4-SIM-AUT	2-4 zone,115/230VAC, Simplex pump, 1 phase, 2 hp max, Automatic flush	18	1,671.00
GEO4-DUP-AUT	2-4 zone,115/230VAC, Duplex pump, 1 phase, 2 hp max, Automatic flush	23	1,971.00
GEO8-SIM-AUT	5-8 zone,115/230VAC, Simplex pump, 1 phase, 2 hp max, Automatic flush	30	2,054.00
GEO8-DUP-AUT	5-8 zone,115/230VAC, Duplex pump, 1 phase, 2 hp max, Automatic flush	30	2,860.00



FLOW METERS

B

Part Number	Description	Weight (lbs.)	Suggested List Price
-------------	-------------	---------------	----------------------

Flow Meter - Pulse for GeoTS controller



FM-PLS-100	1" FPT PVC turbine with pulse output, 5-50 gpm	1.5	442.00
FM-PLS-150	1.5" FPT PVC turbine with pulse output, 10-100 gpm	1.7	494.00
FM-PLS-200	2" FPT PVC turbine with pulse output, 20-200gpm	2.0	536.00
FM-GA500	4-20ma adapter with no display to be used with pulse meter above	1.0	498.00
FM-GX500	4-20ma adapter with display to be used with one pulse meter above	1.0	660.00

Flow Meter - Digital Display



FM-DDS-075	3/4" FPT Digital Flow Meter with Local Display, 2-20gpm	0.9	380.00
FM-DDS-100	1" FPT Digital Flow Meter with Local Display, 5-50gpm	1.0	442.00
FM-DDS-150	1.5" FPT Digital Flow Meter with Local Display, 10-100gpm	1.5	494.00
FM-DDS-200	2" FPT Digital Flow Meter with Local Display, 20-200gpm	1.7	536.00

New

Flow Meter - Electromagnetic Commercial Flow Meter



FM-MAGM-200	2" flanged mag meter with pulse output, 6-300 gpm	0.9	1500.00
FM-MAGM-300	3" flanged mag meter with pulse output, 14-670 gpm	1.0	1700.00

ACCESSORIES

C	Part Number	Description	Weight (lbs.)	Suggested List Price
---	-------------	-------------	---------------	----------------------

Bio-Disc Filters



APBIODISC-200



APBIODISC-150

APBIODISC-150	1.5" Disc filter with Geoshield protection - Max 30gpm	3.0	140.00
APBIODISC-200	2" Disc filter with Geoshield protection - Max 60gpm	25	510.00

Replacement Disc Cartridges



APBIODISCART-150	1.5" BioDisc cartridge w/ Geoshield protection - Max 30gpm	1.0	75.00
APBIODISCART-200	2" BioDisc cartridge w/ Geoshield protection - Max 60gpm manual flush	4.0	350.00

Vortex Filters



AP4E-1F	1" screen filter. Plastic body. MIPT. Up to 20 gpm	0.8	58.26
AP4E-1.5F	1.5" screen filter. Plastic body. MIPT. Up to 45 gpm	6.0	339.00
AP4E-2F	2" screen filter. Plastic body. MIPT. Up to 70 gpm	7.0	411.95

Note: Our 3/4" Vortex filter is discontinued, but replacement parts can be ordered as needed

Vortex Filters Replacement Parts



APSCR .75F/1F-5	Replacement screen for 3/4" filter. 5" long (short screen)	0.1	22.00
APSCR 1F-6	Replacement screen for 1" long body filter. 6" long (long screen)	0.1	23.00
APSCR 1.5/2F	Replacement screen for 1.5" or 2" filter. 7" long x 3" diameter	0.7	189.55
APPLT 75F	Replacement plate for 3/4" filter	0.1	7.50
APPLT 1F	Replacement plate for 1" filter	0.1	7.50
APPLT 1.5F-3	Replacement plate for 1.5" - 3 hole filter (standard)	0.2	23.00
APPLT 1.5F-4	Replacement plate for 1.5" - 4 hole filter	0.2	23.00
APPLT 2F-3	Replacement plate for 2" - 3 hole filter	0.2	23.00
APPLT 2F-4	Replacement plate for 2" - 4 hole filter (standard)	0.2	23.00

ACCESSORIES

C	Part Number	Description	Min. Qty	Weight (lbs.)	Suggested List Price
---	-------------	-------------	----------	---------------	----------------------

Air Vents

New



APVBK100M	APVBK100M	1" MPT kinetic air vacuum /relief valve For use in zone	1	0.3	22.00
-----------	-----------	--	---	-----	-------

APVBK100L	APVBK100L	1" MPT kinetic air vacuum /relief valve with elbow For use in zone	1	0.3	22.00
-----------	-----------	---	---	-----	-------



APVBK-1	APVBK1	1" MPT kinetic air/vacuum relief valve For use in zone	1	0.3	21.19
---------	--------	---	---	-----	-------

APVBK2	APVBK2	2" MPT kinetic air/vacuum relief valve For use in zone	1	2.5	75.00
--------	--------	---	---	-----	-------



ARV100	ARV100	1" MPT continuous airvent/vacuum relief valve For use upstream of subzone valve	1	2.5	85.00
--------	--------	--	---	-----	-------

ARV200	ARV200	2" MPT continuous airvent/vacuum relief valve For use upstream of subzone valve	1	2.5	111.00
--------	--------	--	---	-----	--------

Air Vent Box



AVBOX-6	AVBOX-6	6" round box - commercial grade	1	1.5	11.00
---------	---------	---------------------------------	---	-----	-------

AVBOX-10	AVBOX-10	10" round box - commercial grade	1	2.5	45.00
----------	----------	----------------------------------	---	-----	-------

Solenoid Valves



SVLVB-100	SVLVB-100	1" Solenoid valve. 24VAC, FPT, NC	1	0.8	88.20
-----------	-----------	-----------------------------------	---	-----	-------

SVLVB-100X	SVLVB-100X	1" Solenoid valve, 24VAC, FPT, NC, External plumbing	1	1.0	148.00
------------	------------	--	---	-----	--------

SVLVB-150	SVLVB-150	1.5" Solenoid valve. 24VAC, FPT, NC	1	2.4	151.30
-----------	-----------	-------------------------------------	---	-----	--------

SVLVB-150X	SVLVB-150X	1.5" Solenoid valve, 24VAC, FPT, NC, External plumbing	1	2.6	211.00
------------	------------	--	---	-----	--------

SVLVB-200	SVLVB-200	2" Solenoid valve. 24VAC, FPT, NC, External Plumbing	1	3.4	309.00
-----------	-----------	--	---	-----	--------

SVLVB-300	SVLVB-300	3" Solenoid valve. 24VAC, FPT, NC, External Plumbing.	1	4.4	484.50
-----------	-----------	---	---	-----	--------

Note: NC = Normally Closed valves. Normally open (NO) valves available upon request.
Replacement coils and diaphragms available. Please call Geoflow directly.

New

Actuated Valves



BVLVACT-100	BVLVACT-100	1" slip motorized ball valve with 120VAC. Indicator light	1	2.5	1000.00
-------------	-------------	---	---	-----	---------

BVLVACT-150	BVLVACT-150	1.5" slip motorized ball valve with 120VAC. Indicator light	1	3.0	1200.00
-------------	-------------	---	---	-----	---------

BVLVACT-200	BVLVACT-200	2" slip motorized ball valve with 120VAC. Indicator light	1	4.0	1240.00
-------------	-------------	---	---	-----	---------

3", 4" and 6" valves as well as 24 VAC options available upon request

ACCESSORIES

C	Part Number		Min. Qty	Weight (lbs.)	Suggested List Price
---	-------------	--	----------	---------------	----------------------

Hydrotek Valves



HT-4402	2 zone Hydrotek valve 1.25" x 1.25", 25-75psi, min10gpm	1	1.5	125.00
HT-4403	3 zone Hydrotek valve 1.25" x 1.25", 25-75psi, min10gpm	1	1.5	125.00
HT-4404	4 zone Hydrotek valve 1.25" x 1.25", 25-75psi, min10gpm	1	1.5	125.00
HT-4602	2 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm	1	1.5	125.00
HT-4603	3 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm	1	1.5	125.00
HT-4604	4 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm	1	1.5	125.00
HT-4605	5 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm	1	1.5	125.00
HT-4606	6 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm	1	1.5	125.00

Ball Check Valve



CV-B-100	1" True Union ball check PVC/Viton, Slip and FPT	1	1.0	78.00
CV-B-150	1.5" True Union ball check PVC/Viton, Slip and FPT	1	2.2	130.00
CV-B-200	2" True Union ball check PVC/Viton, Slip and FPT	1	3.0	178.00

Spring Check Valve









KBT600	1/2" inline spring check valve with compression drip adapters	1	0.3	12.53
CV-S-100	1" Spring check valve. Slip x Slip. Requires 2psi to open	1	0.5	15.00
CV-S-150	1.5" Spring check valve. Slip x Slip. Requires 2psi to open	1	0.7	21.00
CV-S-200	2" Spring check valve. Slip x Slip. Requires 2psi to open	1	1.0	25.00

Pressure Regulators



PMR20-LF	20 psi regulator. 1/8-8 gpm	3/4" FIPT	1	0.3	23.54
PMR20-MF	20 psi regulator. 2-20 gpm	1" FIPT	1	0.4	23.54
PMR20-HF	20 psi regulator. 10-32 gpm	1.25" FIPT	1	0.6	43.55
PMR30-LF	30 psi regulator. 1/8-8 gpm	3/4" FIPT	1	0.3	23.54
PMR30-MF	30 psi regulator. 2-20 gpm	1" FIPT	1	0.4	23.54
PMR30-HF	30 psi regulator. 10-32 gpm	1.25" FIPT	1	0.6	43.55
PMR30-XF	30 psi regulator. 20-90 gpm	3" ID Socket	1	6.3	170.00
PMR40-LF	40 psi regulator. 1/8-8 gpm	3/4" FIPT	1	0.3	23.54
PMR40-MF	40 psi regulator. 2-20 gpm	1" FIPT	1	0.4	23.54
PMR40-HF	40 psi regulator. 10-32 gpm	1.25" FIPT	1	0.6	43.55
PMR40-XF	40 psi regulator. 20-90 gpm	3" ID Socket	1	6.3	170.00
PMR50-MF	50 psi regulator. 2-20 gpm	1" FIPT	1	0.4	23.54
PMR50-HF	50 psi regulator. 10-32 gpm	1.25" FIPT	1	0.6	43.55
PMR50-XF	50 psi regulator. 20-90 gpm	3" ID Socket	1	6.3	170.00

ACCESSORIES

C		Part Number	Description	Box Qty	Weight (lbs.)	Suggested List Price ea. /bag	
Pressure Gauges							
	PG-25-LM	Pressure gauge 1/4" NPT. Lower mount	1	0.7	37.00	37.00	
	PG-LEAD	18" gauge hose with 1/4" FPT, self clamping air chuck	1	1.0	27.00	27.00	
Lockslip loops & risers							
	Use IPS#2795 or equivalent to glue Flex to PVC fittings.						
	LTFLEXR-18	18" flex PVC riser with 1 lockslip adapters. For risers	1	0.6	3.60	3.60	
	LTFLEXL-36	36" flex PVC w/2 lockslip adapters. For loops or risers	1	1.2	7.00	7.00	
	LTFLEXCOIL100	100 ft. flexible PVC Coil. 1/2 in diameter.	100ft	21	1.20	120.00	
Lockslip fittings							
	LTSLIP-600	Lockslip Adapter. 1/2" socket (3/4" spigot) x Wasteflow	50	1.7	1.12	56.00	
	LTMPPT-600	Lockslip Adapter. 3/4" MPT x 16mm Wasteflow dripline	50	1.6	0.95	47.50	
	LTTEE-600	Lockslip Tee. Fits 16mm Wasteflow dripline	25	1.5	2.12	53.00	
	LTEL-600	Lockslip Elbow. Fits 16mm Wasteflow dripline	50	2.1	2.12	106.00	
	LTC-600	Lockslip Coupling. Fits 16mm Wasteflow dripline	50	2.3	1.18	59.00	
Compression and Barbed Fittings							
	CA600	Adapter 1/2" slip. Fits 16mm Wasteflow	100	0.4	0.30	30.00	
	BC600	Insert coupling with locking ring. Fits 16mm Wasteflow	100	1.3	0.63	63.00	
Saddle Tees							
	SADDLET15	1.5" Black PVC to 1/2" slip or 3/4" socket"	50	4	1.50	75.00	
	SADDLET20	2" White PVC to 1/2" slip or 3/4" socket"	50	4	1.50	75.00	
	SADDLET25	2.5" Grey PVC to 1/2" slip or 3/4" socket"	50	4	1.50	75.00	
	SADDLET30	3" Brown PVC to 1/2" slip or 3/4" socket"	50	4	1.50	75.00	
Unions							
	UNION075S	3/4" Union - Slip	1	0.40	10.00	12.00	
	UNION075ST	3/4" Union - FPT x Slip	1	0.40	16.00	16.00	
	UNION100S	1" Union - Slip	1	0.40	12.00	12.00	
	UNION100ST	1" Union - FPT x Slip	1	0.40	18.00	18.00	
	UNION150S	1.5" Union - Slip	1	0.50	27.00	27.00	
	UNION150ST	1.5" Union - FPT x Slip	1	0.50	44.00	44.00	
	UNION200S	2" Union - Slip	1	0.80	37.00	37.00	
	UNION200ST	2" Union - FPT x Slip	1	0.80	65.00	65.00	



TERMS AND CONDITIONS

- Discount Category. Geoflow has a multi-level discount program for wastewater distributors. Net 30 days unless otherwise noted in writing.
- Payment Terms. All sales are FOB (Factory or warehouse) unless otherwise noted in writing.
- Freight. Quoted in US dollars. Prices are subject to change without prior notice.
- Current Prices. Claims for shortages must be made within 5 working days of acceptance of goods.
- Shortage Returns. A return goods authorization (RGA) number must be obtained from the factory before any products may be returned. Geoflow reserves the right to impose a 10% restocking fee for goods returned within three months of the order date, and a 20% restocking fee for goods returned thereafter. All returned goods must be returned freight prepaid and must be of current design and resaleable condition. Special order items will not be accepted for return.
- Product Design. Geoflow reserves the right to make design changes or improvements without assuming liability to change products.

WARRANTY

A. WASTEFLOW® PERFORMANCE WARRANTY

GEOFLOW products which contain nano-ROOTGUARD® are warranted to remain free of root intrusion for a period of fifteen (15) years from the date of delivery to the buyer, provided such product is stored and installed according to the manufacturer's instructions. Any such products that may be clogged by intrusion of roots shall in the first ten years be replaced 100% by Geoflow. And thereafter, for the eleventh (11th) to fifteenth (15th) years, at the price of such replacement less 20% per year. This warranty is expressly limited to providing the buyer with a replacement for any defective product or part and does not include the cost of installation of the replacement and in no case shall GEOFLOW be liable for any special incidental or consequential damages. In addition, the terms of our Basic Warranty set out below, apply to all WASTEFLOW products.

B. BASIC WARRANTY

All GEOFLOW products are warranted to be free from defects in material and workmanship for a period of two (2) years from the date of delivery to the buyer, provided that the product is correctly installed and maintained by qualified persons according to the manufacturer's recommendations. Geoflow shall have the option to repair or replace all, or part of the defective product, or refund all or part of the purchase price within the warranty period. Technical support is provided when the drip package includes exclusively genuine Geoflow controllers, headworks, valves and filters installed in conjunction with Geoflow dripline. If Geoflow provides technical support for products at no charge to the buyer, it shall be given at buyer's sole risk without any express or implied warranty, and Geoflow shall not be responsible or liable for the results thereof.

WARRANTY TERMS & CONDITIONS

CLAIMS: All claims must be made in writing to GEOFLOW, Inc. within fifteen (15) days after the defect was discovered.

THESE WARRANTIES DO NOT COVER: Conditions caused by others including but not limited to: abuse, misuse, neglect, carelessness, damage by animals or chemicals, accident or disaster; unauthorized alterations, modifications or repairs; transportation or installation; water pressure in excess of or short of recommended amounts; improper or inadequate water treatment or filtration; or failure to follow storage, installation, operation and maintenance instructions.

LIMITATIONS: These warranties constitute the exclusive warranties made by GEOFLOW for its products and is expressly in lieu of all other warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose. These are the only warranties made by GEOFLOW and GEOFLOW does not authorize any employee, dealer, agent, representative or other person to create for it any other obligation or liability.

LIMITATION OF REMEDIES: As indicated above, in no case shall GEOFLOW be liable for any special incidental or consequential damages based upon breach of warranty, breach of contract, negligence, strict tort, or any other legal theories. Some states do not allow limits on warranties or remedies for breach in certain transactions. In such states the limits of this paragraph and the preceding paragraph may not apply. This warranty gives you specific legal rights, and you may have other rights, which vary from state to state. GEOFLOW reserves the right to make changes and improvements in their products without incurring any obligation to similarly alter products previously purchased.

CHOICE OF LAW: These warranties and any liability of GEOFLOW hereunder shall be governed by, construed and enforced according to the laws of the State of California. Any disputes arising out of or relating to these warranties, not resolved by mutual agreement, shall be submitted to final and binding arbitration before JAMS, or its successor.